























- Microwave Circuits and Systems, p.1-5.  
<https://doi.org/10.1109/WMCS55582.2022.9866245>
- Ruhul Hasin M, Kitchen J, 2019. Exploiting phase for extended efficiency range in symmetrical Doherty power amplifiers. *IEEE Trans Microw Theory Tech*, 67(8):3455-3463.  
<https://doi.org/10.1109/TMTT.2019.2921366>
- Shi WM, He SB, Gideon N, 2017. Extending high-efficiency power range of symmetrical Doherty power amplifiers by taking advantage of peaking stage. *IET Microw Antennas Propag*, 11(9):1296-1302.  
<https://doi.org/10.1049/iet-map.2017.0119>
- Shi WM, He SB, Zhu XY, et al., 2018. Broadband continuous-mode Doherty power amplifiers with noninfinity peaking impedance. *IEEE Trans Microw Theory Tech*, 66(2):1034-1046.  
<https://doi.org/10.1109/TMTT.2017.2749224>
- Wang H, Nan JC, Cong MF, et al., 2022. A broadband power amplifier with multifrequency impedance matching. *IEEE Microw Wirel Compon Lett*, 32(11):1339-1342.  
<https://doi.org/10.1109/LMWC.2022.3187998>
- Xia J, Yang MS, Guo Y, et al., 2016. A broadband high-efficiency Doherty power amplifier with integrated compensating reactance. *IEEE Trans Microw Theory Tech*, 64(7):2014-2024.  
<https://doi.org/10.1109/TMTT.2016.2574861>
- Xia J, Bian CX, Kong W, et al., 2022. Optimization design of fragment-type filtering matching network for continuous inverse class-f power amplifier. *IEICE Electron Express*, 19(14):20220043.  
<https://doi.org/10.1587/elex.19.20220043>
- Xiao F, Dai ZJ, Pang JZ, et al., 2021. A Doherty power amplifier with extended back-off by using non-infinite peaking impedance and complex combining load. *IEEE MTT-S International Microwave Workshop Series on Advanced Materials and Processes for RF and THz Applications*, p.182-184.  
<https://doi.org/10.1109/IMWS-AMP53428.2021.9643873>
- Xu Y, Pang JZ, Wang XY, et al., 2021. Enhancing bandwidth and back-off range of Doherty power amplifier with modified load modulation network. *IEEE Trans Microw Theory Tech*, 69(4):2291-2303.  
<https://doi.org/10.1109/TMTT.2021.3056402>
- Yang ZX, Yao Y, Li MY, et al., 2019. Bandwidth extension of Doherty power amplifier using complex combining load with noninfinity peaking impedance. *IEEE Trans Microw Theory Tech*, 67(2):765-777.  
<https://doi.org/10.1109/TMTT.2018.2884415>
- Yao Y, Dai ZJ, Li MY, 2024. A novel topology with controllable wideband baseband impedance for power amplifiers. *Front Inform Technol Electron Eng*, 25(2):308-315.  
<https://doi.org/10.1631/FITEE.2300074>
- Zhang JR, Zheng SY, Yang N, 2023. An efficient broadband symmetrical Doherty power amplifier with extended back-off range. *IEEE Trans Circuits Syst II: Express Briefs*, 70(4):1316-1320.  
<https://doi.org/10.1109/TCSII.2022.3227045>
- Zhang QF, Li H, 2007. Moea/d: A multiobjective evolutionary algorithm based on decomposition. *IEEE Trans Evol Comput*, 11(6):712-731.  
<https://doi.org/10.1109/TEVC.2007.892759>
- Zhou H, Perez-Cisneros JR, Hesami S, et al., 2022. A generic theory for design of efficient three-stage Doherty power amplifiers. *IEEE Trans Microw Theory Tech*, 70(2):1242-1253.  
<https://doi.org/10.1109/TMTT.2021.3126885>
- Zhou LH, Zhou XY, Chan WS, 2023. A compact and broadband Doherty power amplifier without post-matching network. *IEEE Trans Circuits Syst II: Express Briefs*, 70(3):919-923.  
<https://doi.org/10.1109/TCSII.2022.3218006>
- Zhou XY, Chan WS, Sharma T, et al., 2022. A Doherty power amplifier with extended high-efficiency range using three-port harmonic injection network. *IEEE Trans Circuits Syst I: Regul Pap*, 69(7):2756-2766.  
<https://doi.org/10.1109/TCSI.2022.3160382>
- ÅŪzen M, Andersson K, Fager C, 2016. Symmetrical Doherty power amplifier with extended efficiency range. *IEEE Trans Microw Theory Tech*, 64(4):1273-1284.  
<https://doi.org/10.1109/TMTT.2016.2529601>