

- mun*, 63(11):4347-4362.
<https://doi.org/10.1109/TCOMM.2015.2474390>
- Zheng Z, Haas ZJ, 2017. On the performance of reconfigurable distributed mimo in mobile networks. *IEEE Trans Commun*, 65(4):1609-1622.
<https://doi.org/10.1109/TCOMM.2017.2656129>
- Zheng Z, Haas ZJ, Kieburg M, 2019. Secrecy rate of cooperative mimo in the presence of a location constrained eavesdropper. *IEEE Trans Commun*, 67(2):1356-1370.
<https://doi.org/10.1109/TCOMM.2018.2877329>
- Zhou X, McKay MR, 2010. Secure transmission with artificial noise over fading channels: Achievable rate and optimal power allocation. *IEEE Trans Veh Technol*, 59(8):3831-3842.
<https://doi.org/10.1109/TVT.2010.2059057>
- Zhu F, Yao M, 2016. Improving physical-layer security for crns using sinr-based cooperative beamforming. *IEEE Trans Veh Technol*, 65(3):1835-1841.
<https://doi.org/10.1109/TVT.2015.2412152>
- Zhu Y, Zhou Y, Patel S, et al., 2013. Artificial noise generated in mimo scenario: Optimal power design. *IEEE Signal Process Lett*, 20(10):964-967.
<https://doi.org/10.1109/LSP.2013.2276042>

Unedited