

Yang Yi, Zhi-yun Lin, 2015. Stability and agility: biped running over varied and unknown terrain. *Frontiers of Information Technology & Electronic Engineering*, **16**(4):283-292. [doi:10.1631/FITEE.1400284]

Stability and agility: biped running over varied and unknown terrain

Key words: Underactuated biped running, Dynamic balance , Varied and unknown terrain

Contact: Yang Yi

E-mail: yiyang0517@163.com

 ORCID: <http://orcid.org/0000-0001-8543-2301>

Introduction

- The problem of adapting to complex environments is not well solved for full-actuated biped robot, much less for an unstable point-foot underactuated biped.
- Based on the sustainable running criterion proposed in our previous work , we tackle the problem of stable and agile running over unknown and varied terrain on the underactuated biped.

Non-periodic sustainable running criterion instead of periodic stable running

Lemma: (Running-feasible set) Assume the centroid angular momentum is ignored and a running biped is modeled by an inverted pendulum model. The COG state of the biped $[x_c, z_c, \dot{x}_c, \dot{z}_c]^T$ is a running-feasible state if it belongs to the set

$$\Omega(x) = \{x_s \in S_s | x_c < 0, \dot{z}_c < 0, \dot{x}_c^{\min} \leq \dot{x}_c \leq \dot{x}_c^{\max}\},$$

where

$$\dot{x}_c^{\max} = \frac{F^{\max}}{Ml_o} \frac{x_c z_c}{\dot{z}_c} - \frac{x_c g}{\dot{z}_c},$$
$$\dot{x}_c^{\min} = \frac{x_c \dot{z}_c - x_c \sqrt{\dot{z}_c + 4gz_c}}{2z_c}.$$

Non-periodic sustainable running instead of periodic stable running




Fig. 3 A running biped with a pre-known safe area

Non-periodic trajectories of the biped joints and the center of gravity




Fig. 7 The dynamics of the COG in the horizontal (a) and vertical (b) directions





Fig. 8 The non-period trajectories of q_1 with respect to \dot{q}_1 (a), q_2 with respect to \dot{q}_2 (b), q_3 with respect to \dot{q}_3 (c), q_4 with respect to \dot{q}_4 (d), and q_5 with respect to \dot{q}_5 (e)

Running over unknown and varied terrain



Conclusions

- A control law for incorporating the environmental change into the running velocity is proposed for an underactuated running biped in the presence of terrain variation.
- A strategy of proper foot velocity before touchdown is proposed to make an underactuated biped sustain a non-periodic running motion in the presence of unknown environment.