

Zhiqian LIU, Xuyang LOU, Jiajia JIA, 2022. Event-triggered dynamic output-feedback control for a class of Lipschitz nonlinear systems. *Frontiers of Information Technology & Electronic Engineering*, 23(11):1684-1699.

<https://doi.org/10.1631/FITEE.2100552>

Event-triggered dynamic output-feedback control for a class of Lipschitz nonlinear systems

Key words: Lipschitz nonlinear system; Dynamic output-feedback control; Event-triggered control; Global asymptotic stability

Corresponding author: Xuyang LOU

E-mail: Louxy@jiangnan.edu.cn

 ORCID: <https://orcid.org/0000-0002-7499-1308>

Motivation

1. Nonlinear systems with **Lipschitz characteristics** are in wide demand in the field of system modeling.
2. **Output-feedback control** is more general than state-feedback control, since full state measurements are often not possible in many scenarios.
3. Many researchers have devoted effort to the analysis of **dynamic output-feedback control** for nonlinear systems.
4. **Event-triggered control** allows considerable reduction of resource usage while guaranteeing the stability and maintaining a certain level of control performance.

Method

For a class of Lipschitz nonlinear systems, design a dynamic output-feedback controller.

Lipschitz nonlinear system:

$$\dot{x} = Ax + Bf(x) + Eu$$

$$y = Cx$$

Dynamic output-feedback control:

$$\dot{\xi} = A_c \xi + B_c y$$

$$u = C_c \xi + D_c y$$

Method (Cont'd)

Event-triggered control:

$$\bar{y}(t) = y(t_k), t_k \leq t < t_{k+1}.$$




Fig. 1 Continuous-time (a) and event-triggered (b) dynamic output-feedback control schematics (ZOH: zero-order holder)

Method (Cont'd)

Formulate the **event-triggered dynamic output-feedback control** for the Lipschitz nonlinear system in the framework of **hybrid system theory**.

$$\mathcal{H} : \begin{cases} \dot{\zeta} = f_a(\zeta, e) \\ \dot{e} = f_b(\zeta, e) \\ \dot{\tau} = 1 \end{cases} \quad (\zeta, e, \tau) \in \mathcal{F}$$
$$\begin{cases} \zeta^+ = \zeta \\ e^+ = \mathbf{0} \\ \tau^+ = 0 \end{cases} \quad (\zeta, e, \tau) \in \mathcal{J}$$

We need to design the following things:

1. Controller gains
2. Event-triggered conditions
3. Minimum inter-event interval

Simulation results




Fig. 3 Simulation results of Example 2: (a) evolutions of $p(t)$ of the genetic regulatory network system; (b) evolutions of $x(t)$ of the closed-loop error system under event-triggered dynamic output-feedback control; (c) evolutions of $x_1(t)$ under dynamic output-feedback (red line) and static output-feedback (blue-circle line) control; (d) evolutions of $x_2(t)$ under dynamic output-feedback (red line) and static output-feedback (blue-circle line) control. References to color refer to the online version of this figure

Conclusions

1. **Continuous-time dynamic output-feedback** control has been presented for a class of Lipschitz nonlinear systems.
2. **Event-triggered dynamic output-feedback** control has been proposed for a class of Lipschitz nonlinear systems.
3. The design of the dynamic output-feedback **controller gains**, the **event-triggered conditions**, and an upper bound of the **minimum inter-event interval** have been provided.



Zhiqian LIU received her M.S. degree in control science and control engineering from Jiangnan University, Wuxi, China, in 2022. Her research interest is modeling and control of genetic regulatory network systems.



Xuyang LOU received his Ph.D. degree in control theory and control engineering from Jiangnan University, Wuxi, China, in 2009. In 2010, he joined the School of Communication and Control Engineering, Jiangnan University. In 2014, he visited the Computer Engineering Department, University of California, Santa Cruz, USA. He is currently a Professor at Jiangnan University. His research interests include hybrid systems, data-driven discovery, and distributed parameter systems.



Jiajia JIA received his M.S. degree in control science and engineering from China University of Mining and Technology, Xuzhou, China, in 2016, and his Ph.D. degree in systems and control from University of Groningen, Groningen, the Netherlands. He is currently a lecturer at Jiangnan University. His research interests include linear networked systems, geometric theory of linear systems, and graph theory.