

Zhixiong HUANG, Jinjiang LI, Zhen HUA, Linwei FAN, 2023. Filter-cluster attention based recursive network for low-light enhancement. *Frontiers of Information Technology & Electronic Engineering*, 24(7):1028-1044.

<https://doi.org/10.1631/FITEE.2200344>

Filter-cluster attention based recursive network for low-light enhancement

Key words: Low-light enhancement; Filter-cluster attention; Dense connection pyramid; Recursive network

Corresponding author: Jinjiang LI

E-mail: lijinjiang@gmail.com

 ORCID: <https://orcid.org/0000-0002-2080-8678>

Motivation


1. In some adverse environments, especially low-light scenes with uneven lighting, the light information received by the camera equipment is insufficient, and the collected images often show low brightness, poor clarity, and weak contrast. Therefore, it is of vast significance to construct a practical low-light enhancement framework to improve the quality of low-light images.
2. Deep learning methods have led to impressive improvements in low-light image visibility, but still fall short when there are excessive color changes in low-light scenes, and the color information loss problem is often seen in the deep network architecture.

Main idea

1. Filter-cluster attention (FCA) is proposed to measure feature space and channel saliency, making the network pay more attention to defect regions and important channels.
2. Dense connection pyramid (DenCP) is added to extract inverted image features with high brightness, so the dark regions in each iterative learning can be enhanced.
3. A multi-stage recursive network is designed with the input consisting of low-light images and FCA results. After learning three units, i.e., difference concern, gate recurrent, and iterative residual, the learning results are further combined with DenCP to obtain the final output.

Methodology


1. The network transforms low-light images into enhanced images after multiple iterations, with each iteration divided into three units: difference concern, gate recurrent, and iterative residual.



Architecture of the proposed network

Methodology


2. In this network, the input image first undergoes two stages of attention: self-attention (SA), which focuses on region correlation, and filter-cluster attention (FCA), which focuses on channel saliency and dependency.



Two-stage attention involved in the network


Methodology

3. Dense connection pyramid (DenCP) is proposed to exploit the similarity and difference of multi-scale features. After each iteration, DenCP uses the inversion images to extract the auxiliary brightness information.



Specific structure of DenCP

Experimental results



Comparison on no-reference datasets DICM, ExDark, and LIME, with (a) and (d) from the ExDark dataset, (b) from the LIME dataset, and (c) and (e) from the DICM dataset

Experimental results

The mean values of BRISQUE and ENTROPY on the NPE, DICM, ExDark, and LIME datasets

Method	BRISQUE				ENTROPY			
	NPE	DICM	ExDark	LIME	NPE	DICM	ExDark	LIME
JED	29.908	21.710	29.923	28.883	6.9446	6.8285	7.0567	6.0133
RRM	27.177	28.044	26.948	30.114	7.1836	7.0032	7.1836	<u>6.5648</u>
EFF	16.210	20.034	20.801	18.250	<u>7.1629</u>	6.7907	7.1038	6.0380
DLN	<u>18.988</u>	<u>16.205</u>	<u>17.010</u>	15.199	6.5529	6.8133	7.0411	6.1022
KinD	21.364	23.816	22.809	23.988	7.1237	7.1751	7.2066	6.1590
MIRNet	19.988	16.945	20.628	21.956	6.7444	6.9382	6.8717	5.9754
R-Net	25.742	32.819	23.955	27.837	7.0555	<u>7.0288</u>	<u>7.3379</u>	6.2415
Ours	18.680	13.854	15.543	<u>17.485</u>	7.3419	6.9630	7.3710	6.5861

The optimal values are in bold and the suboptimal values are underlined

Conclusions

1. In this paper, we propose a recurrent network based on FCA, which consists of three units: difference concern, gate recurrent, and iterative residual. In addition, we design DenCP to extract features from the inverse image of low-light images.
2. Through extensive experiments on public datasets, the proposed method shows good brightness and visibility enhancement. In the future, we will apply FCA in the improved network structure to enrich the saturation and visual expression of the image.



Zhixiong HUANG received his BS degree in digital media technology from Guilin University of Electronic Technology, Guilin, China, in 2020. He is pursuing his MS degree in School of Information and Electronic Engineering, Shandong Technology and Business University, China. His research interests include computer vision, image processing, and machine learning.



Jinjiang LI received his BS and MS degrees in computer science from Taiyuan University of Technology, Taiyuan, China, in 2001 and 2004, respectively, his PhD degree in computer science from Shandong University, Jinan, China, in 2010. From 2004 to 2006, he was an assistant research fellow at the Institute of Computer Science and Technology of Peking University, Beijing, China. From 2012 to 2014, he was a post-doctoral fellow at Tsinghua University, Beijing, China. He is currently a professor at the School of Computer Science and Technology, Shandong Technology and Business University. His research interests include image processing, computer graphics, computer vision, and machine learning.



Zhen HUA received her BS and MS degrees in electrical automation from Taiyuan University of Technology, Taiyuan, China, in 1989 and 1992, respectively, her PhD degree in electronic information engineering from China University of Mining and Technology, Beijing, China, in 2008. She is currently a professor at Shandong Technology and Business University. Her research interests include computer aided geometric design, information visualization, virtual reality, and image processing.



Linwei FAN received her PhD degree from Shandong University, Jinan, China, in 2019. She is currently an associate professor with the School of Computer Science and Technology, Shandong University of Finance and Economics, and a member of the Shandong Provincial Key Laboratory of Digital Media Technology. Her research interests include computer graphics and image processing.