

Cite this as: Jin-ting YANG, Li-hui TANG, Yun-qing LIU, Yin WANG, Lie-ju WANG, Feng-jiang ZHANG, Min YAN, 2015. Cisplatin combined with hyperthermia kills HepG2 cells in intraoperative blood salvage but preserves the function of erythrocytes. *Journal of Zhejiang University-Science B (Biomedicine & Biotechnology)*, 16(5):395-403. [doi:10.1631/jzus.B1400224]

Cisplatin combined with hyperthermia kills HepG2 cells in intraoperative blood salvage but preserves the function of erythrocytes


Key words: Erythrocytes, HepG2 cells, Intraoperative blood salvage, Cisplatin, Hyperthermia

Research Summary


This work mainly focused on the killing effect of cisplatin combined with hyperthermia on HepG2 cells and erythrocytes from IBS *in vitro*:



- **Hyperthermia alone, cisplatin plus hyperthermia**
- **Viability and proliferation in HepG2**
- **Osmotic fragility, oxygen-carrying function and membrane integrity in erythrocytes**





Necrosis of cancer cells



Innovation points

- **Introduction** of the hypothesis that eliminating tumor cells from IBS before reinfusion is safer in cancer surgery.
- **Summary** of the work about pretreatment with cisplatin (50 $\mu\text{g/ml}$) plus hyperthermia (42 $^{\circ}\text{C}$) for 60 min effectively eliminated HepG2 cells from A IBS but did not significantly affect erythrocytes *in vitro*.
- **Emphasis** of the effective approach to purify IBS before using in cancer surgery.



Innovation points

A series of comprehensive figures and tables were generated to summarize the effect of cisplatin plus hyperthermia on HepG2 cells and erythrocytes.

Figure 1 | Effects of hyperthermia on inhibiting HepG2 cell survival.

Figure 2 and table 2 | Effects of hyperthermia on erythrocytes.

Figure 3 | Effects of cisplatin plus hyperthermia for 60 min on HepG2 cell survival.

Figure 4,5 and table 3 | Effects of cisplatin plus hyperthermia for 60 min on erythrocytes.

Figure 6 | Effects of cisplatin plus hyperthermia for 30 min on HepG2 cell survival.

Figure 7 and table 4 | Effects of cisplatin plus hyperthermia for 30 min on erythrocytes.