

Cite this as: Xue SHAO, Meng LI, Chong LUO, Ying-ying WANG, Ying-ying LU, Shi FENG, Heng LI, Xia-bing LANG, Yu-cheng WANG, Chuan LIN, Xiu-jin SHEN, Qin ZHOU, Hong JIANG, Jiang-hua CHEN, 2015. Effects of rapamycin against paraquat-induced pulmonary fibrosis in mice. *Journal of Zhejiang University-SCIENCE B (Biomedicine & Biotechnology)*, 16(1):52-61. [doi:10.1631/jzus.B1400229]

Effects of rapamycin against paraquat-induced pulmonary fibrosis in mice

Key words:

Paraquat, Pulmonary fibrosis, Rapamycin(RAPA), Methylprednisolone(MP), Transforming growth factor- β 1(TGF- β 1), α -smooth muscle actin (α -SMA), Mice

Research aims





Figure. 3

Our research mainly focused on



The effects of RAPA on inhibiting PQ-induced pulmonary fibrosis in mice



Its possible mechanisms

Main conclusions

- Our study showed for the first time that RAPA has **significant inhibitory** effects on progressive pulmonary fibrosis in the PQ intoxication mice model.




Figure. 3

- These effects may be partly ascribed to **the inhibition of TGF- β 1**.




Figure. 6

Main conclusions

- A series of figures were generated to prove our conclusions:

