


Cite this as: Xin-ping LIANG, Dong-qiang ZHANG, Yan-yan CHEN, Rui GUO, Jie WANG, Cheng-zhang WANG, Ying-hua SHI, 2015. Effects of alfalfa saponin extract on mRNA expression of *LDLR*, *LXR α* and *FXR* in BRL cells. *Journal of Zhejiang University-Science B (Biomedicine & Biotechnology)*, 16(6):479-486. [doi:10.1631/jzus.B1400343]

Effects of alfalfa saponin extract on mRNA expression of *LDLR*, *LXR α* and *FXR* in BRL cells


Key words: Alfalfa saponin extract, Hyperlipidemic BRL cells, Cholesterol metabolism, mRNA expression

Research Summary


This study mainly focused on the effects of alfalfa saponin extract (ASE) on cholesterol metabolism at a cellular level by measuring mRNA expression of LDLR, LXR α and FXR in normal and hyperlipidemic BRL cells.



- Cell culture and growth inhibition assay
- Hyperlipidemic cell model and grouping
- Quantitative real-time PCR



SYBR Green



Main points

ASE might ameliorate hepatic steatosis by regulating genes involved in cholesterol metabolism, including up-regulation of LDLR as well as down-regulation of LXR α and FXR.

Fig. 1 | Effects of ASE on proliferation activity of BRL cells.

Fig. 2 | Effects of ASE on mRNA expression of LDLR, LXR α and FXR in normal BRL cells

Fig. 3 | Effects of ASE on mRNA expression of LDLR, LXR α and FXR in hyperlipidemic BRL cells.