Cite this as: Miao LI, Jia-lun SONG, Ying ZHAO, She-ling WU, Hong-bin LIU, Rong TANG, Lei YAN, 2017. Fertility outcomes in infertile women with complex hyperplasia or complex atypical hyperplasia who received progestin therapy and in vitro fertilization. *Journal of Zhejiang University-Science B (Biomedicine & Biotechnology)*, 18(11):1022-1025. http://dx.doi.org/10.1631/jzus.B1600523

Fertility outcomes in infertile women with complex hyperplasia or complex atypical hyperplasia who received progestin therapy and in vitro fertilization

Key words: **Progestin therapy, Endometrial hyperplasia, In vitro fertilization**

Research Summary

This review mainly focused on fertility and oncologic outcomes in women with complex hyperplasia (CH) or complex atypical hyperplasia (CAH) who received fertility-sparing therapy and in vitro fertilization (IVF)




Figure 1 Flow chart: data collecting and group dividing

Conclusions

- It is **uncertain** whether the outcomes and feasibility of fertility-sparing treatment differ between those women with CAH and CH.

- We **suggested** that women who suffered from CAH and CH would choose the protection treatment and take positive measures to become pregnant.

- **Emphasis** the effectiveness of oral progestin and the importance of IVF.



