

Cite this as: Jing WANG, Xingyu ZHAO, Jiawei ZHENG, Daniela D. HERRERA-BALANDRANO, Xiaoxiao ZHANG, Wuyang HUANG, Zhongquan SUI. In vivo antioxidant activity of rabbiteye blueberry (*Vaccinium ashei* cv. 'Brightwell') anthocyanin extracts[J]. Journal of Zhejiang University Science B, 2023, 24(7): 602-616.
<http://doi.org/10.1631/jzus.B2200590>

In vivo antioxidant activity of rabbiteye blueberry (*Vaccinium ashei* cv. 'Brightwell') anthocyanin extracts

Key words: Blueberry anthocyanins; In vivo antioxidant activity; SOD; GSH-PX; MDA

Research Summary

This research article mainly focused on the antioxidant activity of blueberry anthocyanin extracts *in vivo*, and the antioxidant activities of different tissues from mice are investigated with the following aspects:

- Total antioxidant capacity (T-AOC)
- The antioxidant enzymes (SOD and GSH-PX)
- Malondialdehyde levels (MDA)
- Effects of BAE concentrations
- Effects of BAE administration time




Vaccinium ashei cv.
Brightwell



blueberry anthocyanin
extract (BAE)



C57BL/6J male mice



Innovation points





- Investigation of five different mouse tissues' *in vivo* antioxidant activity of blueberry anthocyanin extracts.

- Summary of dose-dependent antioxidant activity of BAE and its mechanism of increasing T-AOC by the activation of SOD and GSH-PX.

- Emphasis of potential blueberry anthocyanins' potential in the development of functional foods or nutraceuticals.

In Vivo Antioxidant Activity

- ✓ T-AOC 
- ✓ SOD 
- ✓ GSH-PX 
- ✓ MDA 



Innovation points

A series of comprehensive figures were generated to summarize the antioxidant activity of blueberry anthocyanin extracts *in vivo*.

Figure 1 | Changes in T-AOC of different tissues.

Figure 2 | Changes in SOD and GSH-PX of different tissues.

Figure 3 | Changes in MDA of different tissues.

Figure 4 | Changes in Cu,Zn-SOD, Mn-SOD, and GPX mRNA of different tissues.

Figure 5 | Effects of different concentrations of BAE.

Figure 6 | Effects of different treatment time of BAE.