

Cite this as: Xiaodan JIA, Ke LU, Xufang LIANG. Neuropeptide Y receptor Y8b (*npy8br*) regulates feeding and digestion in Japanese medaka (*Oryzias latipes*) larvae: evidence from gene knockout[J]. Journal of Zhejiang University Science B, 2024, 25(7): 605-616.
<http://doi.org/10.1631/jzus.B2300312>

Neuropeptide Y receptor Y8b (*npy8br*) regulates feeding and digestion in Japanese medaka (*Oryzias latipes*) larvae: evidence from gene knockout

Key words: *npy8br*; Japanese medaka; knockout; feeding; digestion







Research article

In this study, we used the CRISPR/Cas9 technology to knockout the *npy8br* gene in Japanese medaka to further explore the physiological function of the *npy8br* gene.

- **Generating *npy8br*^{-/-} mutants by CRISPR/Cas9 technology**
- **Functional exploration of *npy8br***




Results

- Generation of the *npy8br* mutants medaka
- Effects of *npy8br* knockout on feed intake and digestion of medaka larvae



Results

- Effects of *npy8br* knockout on the growth of medaka larvae
- Effects of *npy8br* knockout on digestive enzyme activity of medaka larvae
- Effects of *npy8br* knockout on digestive enzyme activity of medaka larvae



Conclusion: This is the first *npy8br* gene knockout model established in fish and the first demonstration that *npy8br* plays an important role in digestion.