
Cite this as: Qianli JIA, Yaoyao LIU, Shiya LV, Yiding WANG, Peiyao JIAO, Wei XU, Zhaojie XU, Mixia WANG, Xinxia CAI. Wireless closed-loop deep brain stimulation using microelectrode array probes[J]. Journal of Zhejiang University Science B, 2024, 25(10): 803-823.
http://doi.org/10.1631/jzus.B2300400

Wireless closed-loop deep brain stimulation using microelectrode array probes

Key words: **Wireless closed-loop deep brain stimulation (CL-DBS) microsystem; Deep brain stimulation (DBS); Microelectrode array (MEA) probes; Optical stimulation; Electrical stimulation**

Review Summary

This review mainly focused on the core components of wireless CL-DBS microsystems using MEA probes, especially in optical stimulation and electrical stimulation.



Innovation points

- **This review overviewed deep brain stimulation using MEA probes, rather than studies that exclusively focus on electrocorticogram.**

- **This review overviewed main components in wireless CL-DBS microsystems, rather than studies that exclusively focus on DBS systems.**

- **We delve deeper into the critical biomarkers that different diseases can focus on, including spike and LFP, in a clinical scenario.**

- **Important challenges, and research opportunities for this microsystem to address societal changes are described. This review offers novel therapeutic options for psychiatric disorders in the future.**

IZUS-B

Figure 4

Innovation points

A series of comprehensive figures were presented to summarize the neural probes integrated with different stimulation. Components and applications of CL-DBS were overviewed as well.

Figure 3| **Examples of MEA probes with integrated optical stimulation.**

Figure 5| **Improvements in modulation and detection.**

Table 1| **Different wireless types of data communication.**

Table 2| **A summary of driving energy.**

Table 3| **Summary of targets and feedbacks in disease therapy.**

JZUS-B