

Cite this as: Junfen XU, Mengyan TU. Single-cell transcriptomics reveals tumor landscape in ovarian carcinosarcoma[J]. Journal of Zhejiang University Science B, 2024, 25(8): 686-699.
<http://doi.org/10.1631/jzus.B2300407>


Single-cell transcriptomics reveals tumor landscape in ovarian carcinosarcoma

Key words: Ovarian carcinosarcoma; Single-cell RNA sequencing (scRNA-seq); Tumor heterogeneity





Research summary

This article uses single-cell RNA sequencing (scRNA-seq) to characterize the cellular composition of ovarian carcinosarcoma (OCS) and to identify its molecular characteristics.

- Single-cell transcriptional atlas analysis and cell composition in OCS tissues.
- Clustering-based copy-number variation resolves the malignant elements from non-cancer cells.
- Transcriptional landscape intra-tumoral heterogeneity of OCS epithelial cells.
- Distinct mesenchymal cell subpopulations in the human OCS.
- The scRNA-seq data comparison between OCS and the published HGSOc tumors.
- The scRNA-seq data comparison between our OCS dataset and the previously published OCS tumor dataset as well as normal ovarian samples.



Innovation points



- Certain epithelial cell subclusters of the OCS tumor presented high levels of BRCA1 and TOP2A expression.
- FGF and PTN signaling pathways were the main pathways contributing to the epithelial cells and fibroblasts communication in the OCS.
- Certain mesenchymal subcluster exhibited specific expression patterns in the OCS tumor, characterized by elevated levels of CYP24A1, CYP23A1, CCK, BMP7, PTN, WIF1, and IGF2 expression.