

Cite this as: Xiaojian JIANG, Lihong LEI, Weilian SUN, Yingming WEI, Jiayin HAN, Shuaiqi ZHONG, Xianyan YANG, Zhongru GOU, Lili CHEN. Bioceramic scaffolds with two-step internal/external modification of copper-containing polydopamine enhance antibacterial and alveolar bone regeneration capability[J]. Journal of Zhejiang University Science B, 2024, 25(1): 65-82.


<http://doi.org/10.1631/jzus.B23d0004>

Bioceramic scaffolds with two-step internal/external modification of copper- containing polydopamine enhance antibacterial and alveolar bone regeneration capability

Key words: Polydopamine (Cu²⁺) modification, Antibacterial properties, Bone regeneration, Angiogenesis, Bioceramic scaffolds


Research Summary

This study proposes a strategy of modifying bioceramic scaffolds internally and externally using PDA(Cu^{2+}), which endows the scaffold with antibacterial ability and promotes bone regeneration.



Research Summary

The two-step polydopamine (Cu^{2+}) modification strategy



Innovation points

- **A** rapid polydopamine polymerization method is first applied as a modification of the bioceramic scaffold.

- **A** novel two-step polydopamine (Cu^{2+}) modification strategy for the bioceramic scaffold is proposed.

- **The** modified scaffolds with antibacterial, angiogenic and osteogenic functions meet the requirements of different bone repair stages.