***Cite this as*:** Xiaodan JIA, Shulin TANG, Hexiong FENG, Dimei XU, Chenyuan ZHU, Ke LU, Xufang LIANG. Roles of *try* and *amy* in feeding, digestion, growth, and development of the Japanese medaka (*Oryzias latipes*): insight from a comparative gene knockout study. *Journal of Zhejiang University-SCIENCE B*, 2026, 27(3):280-294. https://doi.org/10.1631/jzus.B2400246

JZUS-B

Roles of *try* and *amy* in feeding, digestion, growth, and development of the Japanese medaka (*Oryzias latipes*): insight from a comparative gene knockout study

Key words: *try*; *amy*; Japanese medaka; Knockout; Feeding; Digestion

Research article


In this study, we use the Japanese medaka (*Oryzias latipes* to explore the function and necessity of trypsin and amylase for fish after the trypsin gene (*try*) and amylase gene (*amy*) were knockout with the clustered regularly interspaced short palindromic repeat (CRISPR)-CRISPR-associated 9 (Cas9) gene editing.

- **Generating *try* $^{-/-}$ and amy $^{-/-}$ mutants by CRISPR/Cas9 technology**
- **Functional exploration of *try and amy***

JZUSB

Results

- **Generation of homozygous mutants with the CRISPR/Cas9 system.**





JZUSB


Results


- First-feeding and digestion of three genotypes medaka larvae in 4 dph medaka larvae.


- Analysis of digestive capacity, total length, survival rate and expression of growth performance related genes in 15 dph medaka larvae.













Results

- **Total length and body weight of medaka at 4 months of *try* $^{-/-}$ adult medaka**

- **Nitrogen metabolizing enzyme activity in the liver and blood of *try* $^{-/-}$ adult medaka.**






JZUS-B

Results

- **Effects of *try* knockout on intestinal microbial diversity of medaka**



JZUSB

Conclusion: In this study, we established try and amy knockout medaka using CRISPR/Cas9 system. Our results demonstrated the try was indispensable for medaka larvae, which also continuously affects the growth, nitrogen metabolism and intestinal development of medaka.