

Cite this as: Congying SONG, Ping WANG, Yuanqiang LU. Management of exogenous lipoid pneumonia after fuel aspiration: a single-center experience. *Journal of Zhejiang University-SCIENCE B*, 26(12):1233-1244.
<https://doi.org/10.1631/jzus.B2500270>

Management of exogenous lipoid pneumonia after fuel aspiration: a single-center experience

Key words: Exogenous lipoid pneumonia; Hydrocarbon pneumonitis; Fuel; Bronchoalveolar lavage; Lung transplantation

Research Summary

This study systematically summarizes the clinical characteristics, treatment strategies, and outcomes of hydrocarbon aspiration pneumonitis, providing evidence for its severity-based management.

- Study Cohort: Retrospective analysis of 11 patients, with 4 representative cases detailing management pathways.
- Clinical Presentation: Dyspnea and bilateral lower lung involvement were predominant.
- Core Therapies: Antibiotics and steroids were universally used; BAL was applied in selective cases.
- Severe Case Management: One patient with irreversible respiratory failure received ECMO and lung transplantation.
- Clinical Contribution: Proposed a structured treatment algorithm to guide intervention selection and escalation.

Innovation points

- **Introduced** a severity-based treatment algorithm for exogenous lipid pneumonia.
- **Defined** the selective use of BAL by disease stage.
- **Emphasized** early corticosteroids, antibiotics and oxygen support as core therapy.
- **Established** ECMO and lung transplant pathway for irreversible cases.

