Cite this as: Yunfeng GU, Liping MAO, Xiaoling LI, Kangxuan SUN, Qiuruo JIANG, Wenhui WU, Yangyang SHEN, Shihao CHEN, Meiqin ZHENG, Yi XU. Integrative analytical and statistical framework for optimization of multiplex qPCR detection of *TGFBI* mutations in refractive surgery candidates. *Journal of Zhejiang University-SCIENCE B*, 2026, 27(6):645-655. https://doi.org/10.1631/jzus.B2500747

JZUS-B

Integrative analytical and statistical framework for optimization of multiplex qPCR detection of *TGFBI* mutations in refractive surgery candidates

Key words: Multiplex real-time quantitative polymerase chain reaction (qPCR); Transforming growth factor-β-induced (*TGFBI*) mutation; Preoperative genetic screening; Probit regression analysis; Refractive surgery

Graphical Abstract: Multiplex qPCR assay

This study developed a statistically optimized multiplex qPCR assay for *TGFBI* hotspot mutations, enabling rapid, high-throughput preoperative screening of 10,055 refractive surgery candidates with analytical thresholds defined by ROC analysis and limit-of-detection determined by Probit modeling, ensuring reliable detection within a unified Ct=36 cutoff.

Methodology: Targeted Screening

Targets 5 high-frequency *TGFBI* hotspot mutations (R124C/L/H, R555W/Q) for efficient preoperative screening

Validation: High Accuracy

100% concordance (κ=1.0) with Sanger sequencing; High precision (CV=0.34-1.21%) and robustness

Application: Large-Scale Cohort

Screened 10,055 refractive-surgery candidates; Identified 6 carriers (0.06%), preventing high-risk surgeries

Conclusion: Clinical Ready

A rapid, low-cost, and high-throughput solution for standardized genetic risk assessment




Fig. 1 Schematic overview of the workflow for multiplex allele-specific qPCR screening of *TGFBI* - hotspot mutations, including buccal swab collection, genomic DNA extraction, qPCR targeted amplification, and result interpretation.




Fig. 4. Application of the validated multiplex qPCR assay in a large preoperative screening cohort of 10,055 refractive surgery candidates.

IJOSB

Research Summary: *TGFBI* preoperative genetic screening

Background & Clinical Need

- Risk: Surgery may unmask/accelerate *TGFBI* dystrophies
- Need: Rapid, standardized genetic screening is essential

Methodology

- Assay: Multiplex qPCR panel targeting 5 *TGFBI* hotspots
- Optimization: ROC & Probit analysis framework

Key Performance

- Accuracy: κ=1.0 (Perfect agreement with Sanger)
- Impact: Identified 6 carriers (0.06%) in 10k+ candidates




Fig. 2 Allele-specific qPCR performance for the four *TGFBI* loci, showing distinct amplification patterns for wild-type and mutant alleles and ROC-derived Ct thresholds supporting accurate discrimination across all targeted hotspot mutations.




Fig. 3. Analytical sensitivity, precision, and robustness of the multiplex allele-specific qPCR assay across all *TGFBI* hotspot loci.

IZUSF

Innovation Points: Key advances in assay development

Statistical-Optimization

- **ROC-guided Cutoffs:** Unified threshold (Ct=36) for simple deployment.
- **Probit-defined LoD:** Robust analytical sensitivity.
- **Transparent:** Clear path to standardize screening.

Analytical Validation

- **Rigorous Testing:** Verified precision, specificity & inhibitor robustness.
- **Linear Calibration:** Stable Ct-log(copy) relation for QC.
- **Reliability:** Consistent across operators & days.

Clinical Implementation

- **High-Throughput:** Proven on 10,055 refractive candidates.
- **Cost-Effective:** First-tier assessment tool.
- **Actionable:** Informs standardized post-screening workflow.

JCUS-B

Core Insight: Empowering Preoperative Scree n Precision

