



Erratum

<https://doi.org/10.1631/jzus.B23e0019>



Erratum to: Advantages of contrast-enhanced ultrasound in the localization and diagnostics of sentinel lymph nodes in breast cancer

Qihui YANG^{1,2*}, Yeqin FU^{1,2*}, Jiakuan WANG³, Hongjian YANG¹✉, Xiping ZHANG¹✉

¹Department of Breast Surgery, Zhejiang Cancer Hospital, Hangzhou Institute of Medicine (HIM), Chinese Academy of Sciences, Hangzhou 310022, China

²Postgraduate Training Base Alliance of Wenzhou Medical University (Zhejiang Cancer Hospital), Hangzhou 310022, China

³The First Clinical Medical College, Shanxi Medical University, Jinzhong 030600, China

Erratum to: *J Zhejiang Univ-Sci B (Biomed & Biotechnol)* 2023 24(11):985-997

<https://doi.org/10.1631/jzus.B2300019>

The original version of this article (Yang et al., 2023) unfortunately contained a mistake. In Acknowledgments, the funding information for the Zhejiang Provincial Natural Science Foundation of China (No. LBY21H160001) was wrong. The correct funding should be the Zhejiang Health Science and Technology Project (No. 2022KY682), China.

Reference

Yang QH, Fu YQ, Wang JX, et al., 2023. Advantages of contrast-enhanced ultrasound in the localization and diagnostics of sentinel lymph nodes in breast cancer. *J Zhejiang Univ-Sci B (Biomed & Biotechnol)*, 24(11): 985-997.
<https://doi.org/10.1631/jzus.B2300019>

✉ Hongjian YANG, yhjzlyy@163.com

Xiping ZHANG, zxp99688@sina.com

* The two authors contributed equally to this work

Hongjian YANG, <https://orcid.org/0000-0003-1583-2814>

Xiping ZHANG, <https://orcid.org/0000-0002-3556-9681>

The online version of the original article can be found at
<https://doi.org/10.1631/jzus.B2300019>

© Zhejiang University Press 2024