

- Le P, Titov I, 2018. Improving entity linking by modeling latent relations between mentions. Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), p.1595-1604.
<https://doi.org/10.18653/v1/P18-1148>
- Li Z, Feng D, Li D, et al., 2020. Learning to select pseudo labels: a semi-supervised method for named entity recognition. *Frontiers of Information Technology & Electronic Engineering*, 21(6):903-916.
<https://doi.org/10.1016/j.fitee.2009.05.004>
- Luo G, Huang X, Lin C, et al., 2015. Joint entity recognition and disambiguation. Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing, p.879-888.
<https://doi.org/10.18653/v1/d15-1104>
- Masrtins PH, Marinho Z, Martins AFT, 2019. Joint learning of named entity recognition and entity linking. Proceedings of the 57th Conference of the Association for Computational Linguistics, p.190-196.
<https://doi.org/10.18653/v1/p19-2026>
- Medelyan O, Milne D, Legg C, et al., 2009. Mining meaning from wikipedia. *International Journal of Human Computer Studies*, 67(9):716-754.
<https://doi.org/10.1016/j.ijhcs.2009.05.004>
- Milne DN, Witten IH, 2008. Learning to link with wikipedia. Proceedings of the 17th ACM Conference on Information and Knowledge Management, p.509-518.
<https://doi.org/10.1145/1458082.1458150>
- Mulang IO, Singh K, Prabhu C, et al., 2020. Evaluating the impact of knowledge graph context on entity disambiguation models. CIKM '20: The 29th ACM International Conference on Information and Knowledge Management, p.2157-2160.
<https://doi.org/10.1145/3340531.3342159>
- Nguyen DB, Theobald M, Weikum G, 2016. J-NERD: joint named entity recognition and disambiguation with rich linguistic features. *Transactions of the Association for Computational Linguistics*, 4:215-229.
https://doi.org/10.1162/tacl_a_00094
- Pennington J, Socher R, Manning C, 2014. Glove: Global vectors for word representation. Conference on Empirical Methods in Natural Language Processing, p.1532-1543.
<https://doi.org/10.3115/v1/d14-1162>
- Pershina M, He Y, Grishman R, 2015. Personalized page rank for named entity disambiguation. The 2015 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, p.238-243.
<https://doi.org/10.3115/v1/n15-1026>
- Sevgili Ö, Shelmanov A, Arkhipov M, et al., 2020. Neural entity linking: A survey of models based on deep learning. *Computing Research Repository*, .
<https://arxiv.org/abs/2006.00575>
- Shen W, Wang J, Han J, 2015. Entity linking with a knowledge base: Issues, techniques, and solutions. *IEEE Transactions on Knowledge and Data Engineering*, 27(2):443-460.
<https://doi.org/10.1109/TKDE.2014.2327028>
- Vaswani A, Shazeer N, Parmar N, et al., 2017. Attention is all you need. *Advances in Neural Information Processing Systems 30: Annual Conference on Neural Information Processing Systems 2017*, p.5998-6008.
<https://doi.org/10.5555/3295222.3295349>
- Wang H, Liu Z, 2019. An error recognition method for power equipment defect records based on knowledge graph technology. *Frontiers of Information Technology & Electronic Engineering*, 20(11):1564-1577.
<https://doi.org/10.1631/FITEE.1800260>
- Wang Z, Zhang J, Feng J, et al., 2014. Knowledge graph and text jointly embedding. Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP), p.1591-1601.
<https://doi.org/10.3115/v1/d14-1167>
- Wu J, Zhang R, Mao Y, et al., 2020. Dynamic graph convolutional networks for entity linking. WWW '20: The Web Conference 2020, p.1149-1159.
<https://doi.org/10.1145/3366423.3380192>
- Xin K, Hua W, Liu Y, et al., 2019. Entity disambiguation based on path tree neighbours on graph attention network. *Web Information Systems Engineering*, p.523-537.
https://doi.org/10.1007/978-3-030-34223-4_33
- Xu P, Barbosa D, 2018. Neural fine-grained entity type classification with hierarchy-aware loss. Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, p.16-25.
<https://doi.org/10.18653/v1/n18-1002>
- Xue M, Cai W, Su J, et al., 2019. Neural collective entity linking based on recurrent random walk network learning. Proceedings of the Twenty-Eighth International Joint Conference on Artificial Intelligence, p.5327-5333.
<https://doi.org/10.24963/ijcai.2019/740>
- Yamada I, Shindo H, Takeda H, et al., 2016. Joint learning of the embedding of words and entities for named entity disambiguation. Proceedings of The 20th SIGNLL Conference on Computational Natural Language Learning, p.250-259.
<https://doi.org/10.18653/v1/k16-1025>
- Yang X, Gu X, Lin S, et al., 2019. Learning dynamic context augmentation for global entity linking. Proceedings of the 2019 conference on empirical methods in natural language processing (EMNLP), p.271-281.
<https://doi.org/10.18653/v1/D19-1026>
- Zhong H, Zhang J, Wang Z, et al., 2015. Aligning knowledge and text embeddings by entity descriptions. Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing, p.267-272.
<https://doi.org/10.18653/v1/d15-1031>