

- Mazza G, Miniati E, 1993. Anthocyanins in Fruits, Vegetables, and Grains. CRS Press, Boca Raton, FL, USA.
- McGhie TK, Walton MC, 2007. The bioavailability and absorption of anthocyanins towards a better understanding. *Mol Nutrients Food Res*, 51(6):702-713.
<https://doi.org/10.1002/mnfr.200700092>
- Muceniece R, Klavins L, Kviesis J, et al., 2019. Antioxidative, hypoglycaemic and hepatoprotective properties of five *Vaccinium* spp. berry pomace extracts. *J Berry Res*, 9(2):267-282.
<https://doi.org/10.3233/JBR-180351>
- Mueller D, Jung K, Winter M, et al., 2017. Human intervention study to investigate the intestinal accessibility and bioavailability of anthocyanins from bilberries. *Food Chem*, 231:275-286.
<https://doi.org/10.1016/j.foodchem.2017.03.130>
- Norberto S, Silva S, Meireles M, et al., 2013. Blueberry anthocyanins in health promotion: A metabolic overview. *J Funct Foods*, 5(4):1518-1528.
<https://doi.org/10.1016/j.jff.2013.08.015>
- Puiggros F, Sala E, Vaque M, et al., 2009. *In vivo*, *in vitro*, and *in silico* studies of Cu/Zn-superoxide dismutase regulation by molecules in grape seed procyanidin extract. *J Agr Food Chem*, 57(9):3934-3942.
<https://doi.org/10.1021/jf8034868>
- Sanyal RP, Samant A, Prashar V, et al., 2018. Biochemical and functional characterization of OsCSD3, a novel CuZn superoxide dismutase from rice. *Biochem J*, 475(19):3105-3121.
<https://doi.org/10.1042/BCJ20180516>
- Skrovankova S, Sumczynski D, Mlcek J, et al., 2015. Bioactive compounds and antioxidant activity in different types of berries. *Int J Mol Sci*, 16(10):24673-24706.
<https://doi.org/10.3390/ijms161024673>
- Souza MAD, Peres LEP, Freschi JR, et al., 2020. Changes in flavonoid and carotenoid profiles after volatile organic compounds in purple and orange cherry tomatoes obtained by allele introgression. *J Sci Food Agr*, 100(4): 1662-1670.
<https://doi.org/10.1002/jsfa.10180>
- Stalmach A, 2014. Bioavailability of dietary anthocyanins and hydroxycinnamic acids. In Watson RR, Preedy V R, Zibadi S (Eds.), *Polyphenols in Human Health and Disease*. Academic Press, Cambridge, MA, USA.
<https://doi.org/561-576.10.1016/B978-0-12-398456-2.00002-6>
- Tsikas D, 2016. Assessment of lipid peroxidation by measuring malondialdehyde (MDA) and relatives in biological samples: Analytical and biological challenges. *Anal Biochem*, 524: 23-30.
<https://doi.org/10.1016/j.ab.2016.10.021>
- Tsuda T, Watanabe M, Ohshima K, et al., 1994. Antioxidative activity of the anthocyanin pigments cyaniding 3-O-β-D-glucoside and cyanidin. *J Agr Food Chem*, 42(11):2407-2410.
<https://doi.org/10.1021/jf00047a009>
- Wang YW, Luan GX, Zhou W, et al., 2018. Subcritical water extraction, UPLC-Triple-TOF/MS analysis and antioxidant activity of anthocyanins from *Lycium ruthenicum* Murr. *Food Chem*, 249:119-126.
<https://doi.org/10.1016/j.foodchem.2017.12.078>
- Wedick NM, Pan A, Cassidy A, et al., 2012. Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. *Am J Clin Nutr*, 95(4):925-933.
<https://doi.org/10.3945/ajcn.111.028894>
- Wu H, Chai Z, Hutabarat RP, et al., 2019. Blueberry leaves from 73 different cultivars in southeastern China as nutraceutical supplements rich in antioxidants. *Food Res Int*, 122:548-560.
<https://doi.org/10.1016/j.foodres.2019.05.015>
- Yang S, Wang C, Li XY, et al., 2021. Investigation on the biological activity of anthocyanins and polyphenols in blueberry. *J Food Sci*, 86(2):614-627.
<https://doi.org/10.1111/1750-3841.15598>
- Zhang TX, 2005. Antioxidation and anti-aging. *Chin J Geriatr Mult Organ Dis*, 4:239-240. (in Chinese).
- Zhang YZ, Yin LQ, Huang L, et al., 2020. Composition, antioxidant activity, and neuroprotective effects of anthocyanin-rich extract from purple highland barley bran and its promotion on autophagy. *Food Chem*, 339:127849.
<https://doi.org/10.1016/j.foodchem.2020.127849>

Supplementary information

Table S1-S3; Fig. S1; Materials and methods