

- Yoshida Y, Asahina M, Murakami A, et al., 2021. Loss of peptide:N-glycanase causes proteasome dysfunction mediated by a sugar-recognizing ubiquitin ligase. *Proc Natl Acad Sci U S A*, 118(27) <https://doi.org/10.1073/pnas.2102902118>
- Younger JM, Ren H-Y, Chen L, et al., 2004. A foldable cfr{delta}f508 biogenic intermediate accumulates upon inhibition of the hsc70-chaperone ubiquitin ligase. *The Journal of cell biology*, 167(6):1075-1085. <https://doi.org/10.1083/jcb.200410065>
- Younger JM, Chen L, Ren HY, et al., 2006. Sequential quality-control checkpoints triage misfolded cystic fibrosis transmembrane conductance regulator. *Cell*, 126(3):571-582. <https://doi.org/10.1016/j.cell.2006.06.041>
- Zapun A, Darby NJ, Tessier DC, et al., 1998. Enhanced catalysis of ribonuclease b folding by the interaction of calnexin or calreticulin with erp57. *J Biol Chem*, 273(11):6009-6012. <https://doi.org/10.1074/jbc.273.11.6009>
- Zhang D, Chen T, Ziv I, et al., 2009. Together, rpn10 and dsk2 can serve as a polyubiquitin chain-length sensor. *Molecular cell*, 36(6):1018-1033. <https://doi.org/10.1016/j.molcel.2009.11.012>
- Zhang KY, Yang S, Warraich ST, et al., 2014. Ubiquitin 2: A component of the ubiquitin-proteasome system with an emerging role in neurodegeneration. *Int J Biochem Cell Biol*, 50:123-126. <https://doi.org/10.1016/j.biocel.2014.02.018>
- Zhang R, Pan S, Zheng S, et al., 2023. Lipid-anchored proteasomes control membrane protein homeostasis. *bioRxiv*, :2023.2005.2012.540509. <https://doi.org/10.1101/2023.05.12.540509>
- Zhong X, Shen Y, Ballar P, et al., 2004. Aaa atpase p97/valosin-containing protein interacts with gp78, a ubiquitin ligase for endoplasmic reticulum-associated degradation. *J Biol Chem*, 279(44):45676-45684. <https://doi.org/10.1074/jbc.M409034200>
- Zhong X, Pittman RN, 2006. Ataxin-3 binds vcp/p97 and regulates retrotranslocation of erad substrates. *Hum Mol Genet*, 15(16):2409-2420. <https://doi.org/10.1093/hmg/ddl164>
- Zhou Z, Torres M, Sha H, et al., 2020. Endoplasmic reticulum-associated degradation regulates mitochondrial dynamics in brown adipocytes. *Science*, 368(6486):54-60. <https://doi.org/10.1126/science.aay2494>
- Zhu B, Jiang L, Huang T, et al., 2017. Er-associated degradation regulates alzheimer's amyloid pathology and memory function by modulating gamma-secretase activity. *Nat Commun*, 8(1):1472. <https://doi.org/10.1038/s41467-017-01799-4>
- Zhu D, Xu R, Huang X, et al., 2021. Deubiquitinating enzyme otub1 promotes cancer cell immunosuppression via preventing er-associated degradation of immune checkpoint protein pd-1. *Cell Death Differ*, 28(6):1773-1789. <https://doi.org/10.1038/s41418-020-00700-z>

Supplementary information:

Table S1

unedited