





























- Orekhova EV, Stroganova TA, Prokofyev AO, et al., 2008. Sensory gating in young children with autism: relation to age, IQ, and EEG gamma oscillations. *Neurosci Lett*, 434(2):218–223. <https://doi.org/10.1016/j.neulet.2008.01.066>
- Palkovitz RJ, Wiesenfeld AR, 1980. Differential autonomic responses of autistic and normal children. *J Autism Dev Disord*, 10(3):347–360. <https://doi.org/10.1007/BF02408294>
- Pfeiffer B, Kinnealey M, Reed C, et al., 2005. Sensory modulation and affective disorders in children and adolescents with asperger's disorder. *Am J Occup Ther*, 59(3):335–345. <https://doi.org/10.5014/ajot.59.3.335>
- Robertson AE, Simmons DR, 2015. The sensory experiences of adults with autism spectrum disorder: a qualitative analysis. *Perception*, 44(5):569–586. <https://doi.org/10.1068/p7833>
- Rudling M, Nyström P, Bölte S, et al., 2022. Larger pupil dilation to nonsocial sounds in infants with subsequent autism diagnosis. *J Child Psychol Psychiatry*, 63:793–801. <https://doi.org/10.1111/jcpp.13520>
- Schoen SA, 2009. Physiological and behavioral differences in sensory processing: a comparison of children with autism spectrum disorder and sensory processing disorder. *Front Integr Neurosci*, 3:29. <https://doi.org/10.3389/neuro.07.029.2009>
- Schoen SA, Miller LJ, Brett-Green B, et al., 2008. Psychophysiology of children with autism spectrum disorder. *Res Autism Spectr Disord*, 2(3): 417–429. <https://doi.org/10.1016/j.rasd.2007.09.002>
- Schopler E, Reichler RJ, DeVellis RF, et al., 1980. Toward objective classification of childhood autism: childhood autism rating scale (CARS). *J Autism Dev Disord*, 10(1):91–103. <https://doi.org/10.1007/BF02408436>
- Stevens S, Gruzelier J, 1984. Electrodermal activity to auditory stimuli in autistic, retarded, and normal children. *J Autism Dev Disord*, 14(3):245–260. <https://doi.org/10.1007/BF02409577>
- Takahashi H, Nakahachi T, Komatsu S, et al., 2014. Hyperreactivity to weak acoustic stimuli and prolonged acoustic startle latency in children with autism spectrum disorders. *Mol Autism*, 5(1):23. <https://doi.org/10.1186/2040-2392-5-23>
- Top Jr. DN, Luke SG, Stephenson KG, et al., 2019. Psychophysiological arousal and auditory sensitivity in a cross-clinical sample of autistic and non-autistic anxious adults. *Front Psychiatry*, 9:783. <https://doi.org/10.3389/fpsy.2018.00783>
- Uljarević M, Baranek G, Vivanti G, et al., 2017. Heterogeneity of sensory features in autism spectrum disorder: challenges and perspectives for future research. *Autism Res*, 10(5):703–710. <https://doi.org/10.1002/aur.1747>
- van Engeland H, 1984. The electrodermal orienting response to auditory stimuli in autistic children, normal children, mentally retarded children, and child psychiatric patients. *J Autism Dev Disord*, 14(3):261–279. <https://doi.org/10.1007/BF02409578>
- Wechsler D, 2014. Wechsler intelligence scale for preschool and primary children—fourth CN edition (Li, Y., Trans, Z. J., & Li, Y., Eds.). King-May Company China.
- Zhao S, Yum NW, Benjamin L, et al., 2019. Rapid ocular responses are modulated by bottom-up-driven auditory salience. *J Neurosci*, 39(39):7703. <https://doi.org/10.1523/JNEUROSCI.0776-19.2019>

**Supplementary information:**

Table S1; Pupil data preprocessing; Trial-by-trial analysis of pupil data validity and baseline pupil size