













































- enhanced peri-implant bone formation and vascularization. *Mater Sci Eng C Mater Biol Appl*, 89:52-64. <https://doi.org/10.1016/j.msec.2018.03.011>
- Zhang H, Yuan Y, Xue H, et al., 2022. MicroRNA sequence and function analysis in peri-implantitis and periodontitis: An animal study. *J Periodontal Res*, 57(5):1043-1055. <https://doi.org/10.1111/jre.13045>
- Zhang H, Yuan Y, Xue H, et al., 2023. Reprogramming mitochondrial metabolism of macrophages by miRNA-released microporous coatings to prevent peri-implantitis. *J Nanobiotechnology*, 21(1):485. <https://doi.org/10.1186/s12951-023-02244-z>
- Zhou H, Chen D, Xie G, et al., 2020. LncRNA-mediated ceRNA network was identified as a crucial determinant of differential effects in periodontitis and periimplantitis by high-throughput sequencing. *Clin Implant Dent Relat Res*, 22(3):424-450. <https://doi.org/10.1111/cid.12911>
- Zhou W, Su L, Duan X, et al., 2018. MicroRNA-21 down-regulates inflammation and inhibits periodontitis. *Mol Immunol*, 101:608-614. <https://doi.org/10.1016/j.molimm.2018.05.008>

Unedited