

- homecagescan as a novel method to rapidly identify pain and analgesic effects in mice. *Laboratory Animals*, 43(1):17-26. <https://doi.org/10.1258/la.2008.007156>
- Rudolph S, Guo C, Pashkovski SL, et al., 2020. Cerebellum-specific deletion of the gaba receptor δ subunit leads to sex-specific disruption of behavior. *Cell Reports*, 33(5) <https://doi.org/ARTN 108338> 10.1016/j.celrep.2020.108338
- Schneider T, Popik P, 2007. Increased depressive-like traits in an animal model of premenstrual irritability. *Horm Behav*, 51(1):142-148. <https://doi.org/10.1016/j.yhbeh.2006.09.006>
- Sekhon S, Gupta V, 2024. Mood disorder. Statpearls. Treasure Island (FL) ineligible companies. Disclosure: Vikas Gupta declares no relevant financial relationships with ineligible companies.,
- Smith AJ, Oxley B, Malpas S, et al., 2004. Compounds exhibiting selective efficacy for different beta subunits of human recombinant gamma-aminobutyric acid a receptors. *J Pharmacol Exp Ther*, 311(2):601-609. <https://doi.org/10.1124/jpet.104.070342>
- Smith SS, Ruderman Y, Frye C, et al., 2006. Steroid withdrawal in the mouse results in anxiogenic effects of 3alpha,5beta-thp: A possible model of premenstrual dysphoric disorder. *Psychopharmacology (Berl)*, 186(3):323-333. <https://doi.org/10.1007/s00213-005-0168-3>
- Spindelegger CJ, Papageorgiou K, Grohmann R, et al., 2015. Cardiovascular adverse reactions during antidepressant treatment: A drug surveillance report of german-speaking countries between 1993 and 2010. *International Journal of Neuropsychopharmacology*, 18(4) <https://doi.org/10.1093/ijnp/pyu080>
- Sundström-Poromaa I, Comasco E, Sumner R, et al., 2020. Progesterone - friend or foe? *Frontiers In Neuroendocrinology*, 59:100856. <https://doi.org/10.1016/j.yfrne.2020.100856>
- Walz N, Mühlberger A, Pauli P, 2016. A human open field test reveals thigmotaxis related to agoraphobic fear. *Biological Psychiatry*, 80(5):390-397. <https://doi.org/10.1016/j.biopsych.2015.12.016>
- Wang X-L, Gao J, Wang X-Y, et al., 2018. Treatment with shuyu capsule increases 5-HT1A receptor level and activation of camp-pka-creb pathway in hippocampal neurons treated with serum from a rat model of depression. *Molecular Medicine Reports*, 17(3):3575-3582. <https://doi.org/10.3892/mmr.2017.8352>
- Wei S, Geng X, Li Z, et al., 2020. A forced swim-based rat model of premenstrual depression: Effects of hormonal changes and drug intervention. *Aging (Albany NY)*, 12(23):24357-24370. <https://doi.org/10.18632/aging.202249>
- Yankelevitch-Yahav R, Franko M, Huly A, et al., 2015. The forced swim test as a model of depressive-like behavior. *J Vis Exp*, (97) <https://doi.org/10.3791/52587>
- Zhang H, Qiao M, Gao D, et al., 2023. Shuyu capsule alleviates premenstrual depression via allopregnanolone metabolic pathway targeting gaba (a) receptors δ subunit in the hippocampus. *Asian Journal of Psychiatry*, 90:103800. <https://doi.org/10.1016/j.ajp.2023.103800>

Supplementary information:

Table S1-S2; Figs. S1-S3; Materials and methods